



\*\* - angles accordingly the customer's specification

\* - the dimension doesn't depend on the panel's thickness

|    |                           |           |           |          |                         |                        |                  |                   |
|----|---------------------------|-----------|-----------|----------|-------------------------|------------------------|------------------|-------------------|
| 1  | - *                       | -         | -         | **       | 0.5                     | 424                    | 1250; 2000; 2500 | 1.66              |
| LP | Panel thickness D<br>[mm] | A<br>[mm] | B<br>[mm] | K<br>[°] | Steel thickness<br>[mm] | Width of steel<br>[mm] | Length<br>[mm]   | Weight<br>[kg/mb] |

|         |   |
|---------|---|
| Project | - |
|---------|---|

|         |                                     |
|---------|-------------------------------------|
| Content | Flashing 027<br>External roof ridge |
|---------|-------------------------------------|

|             |           |      |            |
|-------------|-----------|------|------------|
| Designed by | Europanel | Date | 2010.07.26 |
|-------------|-----------|------|------------|

|             |       |        |   |
|-------------|-------|--------|---|
| Drawing no. | 21-27 | Change | A |
|-------------|-------|--------|---|



|       |       |
|-------|-------|
| Scale | 1:2.5 |
|-------|-------|

|      |           |
|------|-----------|
| File | 21-27.dwg |
|------|-----------|

The designer makes the final decision regarding using the specific solution